## **USER'S MANUAL**

MCBK400
ALL-TERRAIN SPEAKER AND AMPLIFIER SYSTEMM



BOSS Audio Systems
3451 Lunar Court • Oxnard, CA 93030

www.bossaudio.com | 805.751.4853

tech support: www.bossaudio.com/technical-support



1214

iPod® ∕ iPhone® are trademarks of Apple, Inc. registered in the U.S. and other countries BOSS Audio Systems is not affiliated with Apple, Inc.

# **USER'S MANUAL**

## MCBK400

ALL-TERRAIN SPEAKER AND AMPLIFIER SYSTEM





#### MCBK400 Motorcycle/UTV Amplified Speaker System

Congratulations on your purchase of a BOSS Audio Systems Off-road amplified speaker system. It has been designed, engineered and manufactured to bring you the highest level of performance and quality, and will afford you years of listening pleasure.

Thank you for making BOSS AUDIO SYSTEMS your choice for entertainment!



#### MCBK400 Motorcycle/UTV Amplified Speaker System

| NOTES |  |  |  |
|-------|--|--|--|
|       |  |  |  |
|       |  |  |  |
|       |  |  |  |
|       |  |  |  |
|       |  |  |  |
|       |  |  |  |
|       |  |  |  |
|       |  |  |  |
|       |  |  |  |
|       |  |  |  |
|       |  |  |  |
|       |  |  |  |
|       |  |  |  |
|       |  |  |  |
|       |  |  |  |

## MCBK400 Motorcycle/UTV Amplified Speaker System

## **Specifications**

| Operation Voltage10~16 V          |
|-----------------------------------|
| Max Power600 W                    |
| THD<0.1%                          |
| S/N>85 dB                         |
| Channel Separation>50 dB          |
| Frequency Response 80 Hz - 15 KHz |
| Sensitivity150 mv-1v              |
| Speaker Wires 4.9'                |
| Volume Control Wire 5.9'          |
| Audio Input Cable 5.9'            |
| Power Cable 8.2'                  |

## MCBK400 Motorcycle/UTV Amplified Speaker System

#### **Contents**

| Amplifier                               | 1 PC  |  |  |
|---|-------|--|--|
| High-Performance, Weatherproof Speakers |       |  |  |
| Amplifier Mounting Screws               |       |  |  |
| Mounting Hardware                       |       |  |  |
| Rubber Mounting Shims                   |       |  |  |
| Amplifier Mounting Hardware             | 8 PCS |  |  |
| Fuse                                    | 1 PC  |  |  |
| User's manual                           | 1 PC  |  |  |

### **Features:**

RCA & 3.5mm Audio Inputs


Speaker Clamp Mounts

Weatherproof Volume Control

High-Impact, High Temp Speaker Enclosures

Weatherproof Speakers

#### MCBK400 Motorcycle/UTV Amplified Speaker System



### **Amplifier and Loudspeaker Mounting**

#### **Install Reminder**

The components and wiring should not be installed around any moving parts, keep away from ignition parts, fuel lines, or any hot exhaust

Speakers should not be installed where they might inhibit safety features on the vehicle (i.e. lights, horns, brake levers, etc...)

#### MCBK400 Motorcycle/UTV Amplified Speaker System

#### Installation

- 1. Screw the brackets to the bottom of the speakers.
- 2. Find a safe, ideal mounting location and fit the brackets over the chosen mounting bars.
- 3. Fasten the mounting screws after you review the safety of the mounting location.

### Wiring

- Be sure to run the wiring securely and far away from any moving components.
- Connecting the power cable to the power source: You will need to connect the 12V red wire to a (fused 5A) switched power source.
- 3. Use the 3.5mm stereo jack to connect to your entertainment source(MP3 player, etc).
- Use your player device and wired remote volume controller to control your level of loudness.