

## HIGH TECH ALUMINIUM CONE DRIVER

Owner's manual for the Woofer set SP 650MW

**SPACELINE SERIES** 

Designed by German engineers, manufactured in Germany

### **GENERAL INFORMATION**

Congratulations!

You have just purchased a DEGO Midwoofer set made in Germany by Ehmann & Partner.

The midwoofer features a special high-tech aluminium cone.

#### CONTENT

The complete set includes:

- 2 midwoofers with HIGH TECH aluminium cone
- Owner's manual

#### **SPECIFICATIONS**

Woofer	(inch)	6.5
Impedance	(Ohm)	4
Nominal Power	(Watt)	100
Peak Power	(Watt)	120
Frequency Response	(Hz)	50 - 12k
Sensitivity	(dB, 1W/1m)	89
Mounting Depth	(mm)	66.5
Outside Diameter	(mm)	166
Mounting Diameter	(mm)	142


# **Speaker Specification**

Speaker Specification					
DC resistance	Re	3.4	Ω	Frequency response [1W/1m]	
Nominal impedance	Zn	4	Ω	10 ATB	
Voice coil inductance	Le	0.30	mΗ	*	
Voice coil diameter		37	mm	79	
Voice coil height		12	mm	60	
Height of gap		6	mm	86 00 00 100 300 860 1h 3h 5h 10h 30h [Hu]	
Linear excursion		±3	mm	But	
Max. mech. excursion		±10	mm		
				Impedance	
Resonance frequency	fs	61	Hz	0100 ATB	
Mechanical Q factor	Qms	8.00		80 70	
Electrical Q factor	Qes	0.53		90 40	
Total Q factor	Qt	0.50		20 20 20 20 20 20 20 20 20 20 20 20 20 2	
Moving mass	Mms	14.8	g	10 20 50 100 200 590 16 26 56 106 206 (FEZ)	
Effective piston area	Sd	135	cm <sup>2</sup>		
Mechanical Resistance	Rms	0.7	kg/s	Harmonic Distortion [1W/1m]	
Compliancce	Cms	0.44	mm/N	H <sup>°</sup> . ATBl <sup>°</sup> .	
Force factor	ВІ	6.6	Tm	7	
Equivalent volume	Vas	11.3	dm³	6 -62	
Efficiency		0.50	%	-48 -56 -64	
SPL 1W/1m		89	dB	1 20	

93

dB

SPL 2,83V/1m



Woofer drawing